

EMERALD COAST UTILITIES AUTHORITY
BID 2015 08

RFQ Mixed Waste Processing Facility & Recycling Services
Including Design, Construction & Operations of Facility

December 1, 2014

ADDENDUM NUMBER 2

Prospective Bidders:

This addendum is issued to answer the following questions that were received regarding the specifications in the bid package:

1. In page 17 of the document (section 2.- Facility demands), it is mentioned that: Any Applicant must currently be operating a commercial scale facility within the United States, which utilizes the proposed technology or combination of technologies, and is processing a minimum of 100,000 tons of MSW annually. In page 23 (section 4.3.- Technical Criteria), it mentioned that: At least one reference facility, with a preferred throughput capacity of at least 100,000 TPY, where the Applicant was responsible for at a minimum the design and construction. Reference facility preferred to be located in the United States and use the same technology used in the applicant's submittal to this RFQ.

We would kindly request a clarification on whether submissions from companies presenting references Facilities NOT located in the United States using its proposed technology will be accepted.

Response: As noted on page 23, we would prefer that the reference facility be located in the United States, but we will consider facilities located outside the United States.

2. What is the incremental cost of recycling pick up?

Response: Recycling collection costs are included in current monthly rates and tipping fees. No change in current collection practices will be considered.

3. What is your unsubsidized revenue from your recycling program (i.e. sales of plastic, paper and metals)?

Response: Approximately \$190,000 per year at current collection rates.

4. Is this a public-private partnership or a service contract?

Response: This is a public-private partnership.

5. Please clarify the site visit dates and times.

Response: The site visit scheduled for December 1st will take place at 2:00 pm, local time, at the Perdido Landfill located at 13009 Beulah Rd., Cantonment, FL 32533. Mr. Jim Howes is the contact at that location. The site visit scheduled for December 8th will take place at 10:00 am, local time, at the same location. Mr. Randy Rudd, Deputy Executive Director of the Emerald Coast Utilities Authority will be onsite during both scheduled visits. He will be available to take interested parties to the Central Water Reclamation Facility located at 2980 Old Chemstrand Road, Cantonment, FL 32533, after the tour of the landfill. All parties are responsible for their own transportation to and from both locations.

If you have any other questions, please email me at amy.williamson@ecua.fl.gov.

Regards,

Amy Williamson, CPPB, FCCM
Senior Purchasing Agent